

Printed: 24/11/2021 Revised: MP V1-R-1-CLP from 24/11/2021

# **DIETHOXYETHANE (1,1 DIETHOXYETHANE) - DIET/1**

## 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1. Product identifier

Name of the substance/mixture : **DIETHOXYETHANE (1,1 DIETHOXYETHANE) - DIET/1** 

 N° CAS TSCA
 : 105-57-7

 N° CE
 : 203-310-6

 N° index REACH An VI
 : 605-015-00-1

 N° REACH (partially)
 : Exempt <1T</td>

IUPAC Name : **1,1-Diethoxyethane**Chemical / REACH name : **1,1-Diethoxyethane** 

Molecular formula : C6 H14 O2

Molecular weight : 118.18

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use only

End use : Fragrances / Cosmetic / Flavours

1.3. Details of the supplier of the safety data sheet

SAS PCW

Aromagrasse - 45 bd Marcel Pagnol 06130 Grasse - FRANCE

Tel: +33 (0)4 92 42 35 00 Fax: +33 (0)4 92 42 35 19 Web: www.pcwfrance.com Email: info@pcwfrance.com

Technical manager : regulatory@pcwfrance.com

1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA: +33(1) 45 42 59 59



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) - Revised: MP V1-R-1-CLP from 24/11/2021

DIET/1

## 2. SECTION 2 - HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### **GHS Classification:**

(RegulationCLP)

Carc. 1B Carcinogenicity 1B

Eye Irrit. 2 Serious eye damage / eye irritation 2

Flam. Liq. 2 Flammable Liquids 2 Skin Irrit. 2 Skin corrosion / irritation 2

H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H350 - May cause cancer <state route of exposure if it is conclusively proven that no other routes of

exposure cause the hazard>.

#### 2.2. Label elements

#### GHS Classification:

(RegulationCLP)







Warning mention: Danger

Carc. 1B Carcinogenicity 1B

Eye Irrit. 2 Serious eye damage / eye irritation 2

Flam. Liq. 2 Flammable Liquids 2 Skin Irrit. 2 Skin corrosion / irritation 2

H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H350 - May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) - Revised: MP V1-R-1-CLP from 24/11/2021

DIET/1

P501 - Dispose of contents/container according to the local/regional / national / international Regulation.

2.3. Other hazards

## Contains Acetaldehyde (car. 2)

PBT: No data

vPvB: No data

VOC Swiss - Annex 1: Not listed

COV medium (CARB): 100%

CMR (Reg. 1223/2009/EEC) : See certificate

## 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

#### 3.1. Substances

Material	C.A.S	EINECS		Percent %
Acetal (Regist. : N°INDEX 605-015-00-1)	105-57-7	203-310-6	Flam. Liq. 2, Skin Irrit. 2 - H225, H315, H319	> 50 %
Acetaldehyde (car. 2) (Regist. : N° INDEX 605-003-00-6)	75-07-0	200-836-8	Acute Tox. 4, Carc. 1B, Flam. Liq. 1, Muta. 2, STOT SE 3 - H224, H302, H319, H335, H341, H350, H351	[ 0-1 ]

3.2. Mixtures

NO CONCERNED

# 4. SECTION 4 - FIRST AID MEASURES

4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

**Following inhalation :** If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion :** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

4.2. Most important symptoms and effects, both acute and delayed

See section 2



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) - Revised: MP V1-R-1-CLP from 24/11/2021 DIET/1

4.3. Indication of any immediate medical attention and special treatment needed

See section 2

## 5. SECTION 5 - FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

Unsuitable extinguishing media: Never use a direct stream of water.

5.2. Special hazards arising from the substance or mixture

Flammability: The product is flammable

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Particular risks linked to exposure: see section 2

### Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

Auto-ignition temperature (°C):

5.3. Advice for firefighters

**Fire-fighting equipment:** use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

## 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

6.2. Environmental precautions



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) -

Revised: MP V1-R-1-CLP from 24/11/2021

DIET/1

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

## 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

#### Other informations

Only qualified personnel is allowed to clean up.

#### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

## 7. SECTION 7 - HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

## Protective measures:

See section 2.2











### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

## Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

### Precautions of use : Avoid any direct contact with the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

<u>Technical measures:</u> Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) - Revised: MP V1-R-1-CLP from 24/11/2021

DIET/1

Respect the general rules of incompatibility.

Storage: Store at 25°C max. in tightly sealed original container. Avoid

prolonged exposure to light, heat and air.

Storage areas and packaging

conditions:

Take precautionary measures against static discharge. Avoid placing in the same area with an oxidizing substance or organic peroxides.

Protection against the fire and the

explosion:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

### 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1. Control parameters

**Measures of technical order:** Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

**Monitoring procedures**: If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

PNEC Fresh water: No data PNEC Fresh water sediment: No data PNEC Marine water: No data PNEC Marine sediment: No data PNEC Soil: No data VLEP short term mg/m3 (98/24/CE): No data VLEP (8h) mg/m3 (98/24/CE): No data DNEL - Inhalation: No data DNEL - Skin contact: No data

## 8.2. Exposure controls

<u>Appropriate technical controls</u>:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

### Personal protection measures :

#### Personal protection:

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) - Revised: MP V1-R-1-CLP from 24/11/2021

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

**Remark**: Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection**: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommanded: Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommanded: lab coat (sarrau), general.

Type 3: Liquid impermeability Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot : Recommanded : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

# 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance : Liquid

Color : Colorless

Odour : Fruity, Hazelnut, Green

Density 20/20°C : **[0.820 ; 0.835]**Refractive index n (20/D) : **[1.379 ; 1.383]** 

Acid Value : Melting point (°C) : -

Boiling point (°C):

Flash point (°C) (close cup):

-21

Ignition temperature:

Explosive properties : -

Purity (%): [98; 100]

Impurities >0.01%:

Vapor pressure : 27.60 mmHg @ 25.00 °C. (litt)



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) - Revised: MP V1-R-1-CLP from 24/11/2021

DIET/1

Partition coefficient n-octanol/water: LogPow 0.840 (litt)

9.2. Other information

Water solubility : No
Solubility in alcohol (°) : Yes

### 10. SECTION 10 - STABILITY AND REACTIVITY

10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability

Stable under normal conditions.

Shelf life: 24 months, according to storage conditions

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

NO CONCERNED

10.6. Hazardous decomposition products

**Thermal decomposition** / **conditions to be avoided:**Avoid contact with any flame or spark, flame, Overheat.Avoid Direct rays of the sun. No decomposition if used according to specifications.

Dangerous decomposition products: No dangerous decomposition products known.

### 11. SECTION 11 - TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological

Phototoxicity: No data Genotoxicity in vivo: No data No data Genotoxicity in vitro: No data LD50 oral (rat): LD50 Dermal (rabbit): No data Respiratory or Skin sensitization: No data Skin irritation: **Irritant** Serious eye damage/irritation: No data

Eyes irritation : Severe irritation



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) - Revised: MP V1-R-1-CLP from 24/11/2021

DIET/1

# 12. SECTION 12 - ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

LC50 Ecotoxicity:

EC50 Ecology:

No data

CE50 (Aquatic fauna):

No data

CE50 (Aquatic flora):

No data

No observable adverse effect level

No data

(NOAEL):

No observed effect level (NOEL): No data

12.2. Persistence and degradability

Biodegradability: No data

12.3. Bioaccumulative potential

Bioaccumulation (LogPow): 0.840 (litt)

12.4. Mobility in soil

PNEC sol : No data

12.5. Results of PBT and vPvB assessment

vPvB : **No data** PBT : **No data** 

12.6. Other adverse effects

No data

### 13. SECTION 13 - DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

**Product :** Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

Not cleaned packing: Evacuation according to local reglementation.

## 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



IMDG:



Printed:

24/11/2021

DIETHOXYETHANE (1,1 DIETHOXYETHANE) - DIET/1

Revised : MP V1-R-1-CLP from 24/11/2021



IATA:



14.1. UN number

ADR: 1088 (Tunnel code (D/E))

IMDG:1088 IATA:1088

14.2. UN proper shipping name

ADR : ACETAL IMDG: ACETAL IATA : ACETAL

14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:3

14.4. Packing group

ADR : II IMDG:II IATA :II

14.5. Environmental hazards

IMDG: NO CONCERNED

14.6. Special precautions for user

# Avoid any direct contact with the product.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

<u>GRV Solid substances</u> Metal (11A, 11B, 21A, 21N) Plastic (11H1, 11H2, 21H1, 21H2)

## 15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Printed: 24/11/2021 DIETHOXYETHANE (1,1 DIETHOXYETHANE) - Revised: MP V1-R-1-CLP from 24/11/2021

DIET/1

WGK: **2-ID6281** 

15.2. Chemical safety assessment

Exposure assessment:

### 16. SECTION 16 - OTHER INFORMATIONS

#### Full H sentenses text in point 3:

H224 Extremely flammable liquid and vapour.

H225 Highly flammable liquid and vapour

H302 Harmful if swallowed.

H315 Causes skin irritation.H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no

## other routes of exposure cause the hazard>.

H350 May cause cancer <state route of exposure if it is conclusively proven that no other routes of

#### exposure cause the hazard>.

H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other

routs

## of exposure cause the hazard>.

# Key literature references and sources for data

Sources for data: Information from supplier

Literature references : ECHA

Literature references EU: Reg. 1272/2008

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.