

Printed: 11/04/2023 Revised: CLP V1-R-1-CLP from 11/04/2023

## DIPROPYLENGLYCOL

## 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

1.1. Product identifier

DIPROPYLENGLYCOL

Item code : DPG-1

**N° CAS** : 25265-71-8 **N° CE** : 246-770-3

N° index REACH An VI :/

N° REACH (partially) : 01-2119456811-38-xxxx

IUPAC Name : 1,1'-Oxydipropan-2-ol

Chemical / REACH name : 1,1-Oxydi-2-Propanol (famille chimique : glycols)

Molecular formula : C6H14O3

Molecular weight : 134.18 g/mol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Manufaturing of Fragrance products

1.3. Details of the supplier of the safety data sheet

Company: PCW

45 Boulevard Marcel PAGNOL

Parc Aromagrasse

06130 GRASSE - FRANCE Tel:+33 (0)4 92 42 35 00 Fax :+33 (0)4 92 42 35 19 Web :www.pcwfrance.com Email :info@pcwfrance.com

Technical manager: regulatory @ pcwfrance.com

1.4. Emergency telephone number

**Emergency information service of the company** 

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

**Anti poison Centers in France** 

ORFILA: +33(1) 45 42 59 59



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

#### 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

**GHS Classification:** 

(RegulationCLP)

H000 - Not classified according to the Regulation 1272/2008/EC

2.2. Label elements

**GHS Classification:** 

(RegulationCLP)

H000 - Not classified according to the Regulation 1272/2008/EC

#### 2.3. Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

PBT: This substance is not considered to be persistent, bioaccumulating or

toxic

vPvB: This substance is not considered to be very persistent or very

bioaccumulative

VOC Swiss - Annex 1 : Not listed LVP-VOC / INORGANIC / EXEMPTED 100%

VOC (CARB):

CMR (Reg. 1223/2009/EEC): No

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Product not regulated for GHS

### 3.1. Substances

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

#### 3.2. Mixtures



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

Not concerned

#### 4. FIRST AID MEASURES

4.1. Description of first aid measures

**General notes:** Please refer to the risk and safety statements (section 2)

**Following inhalation:** If inhaled: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

**Following skin contact:** If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

4.2. Most important symptoms and effects, both acute and delayed

See section 2

4.3. Indication of any immediate medical attention and special treatment needed

**Contact with skin:** Wash immediately and abundantly with water and soap. Rinse then with clear water. **Contact with eyes:** Abundant rinsing with water (15 minutes open eyelids) then washing with an occular lotion standard Dacryoserum. In case of disorder, consult an ophtalmologist.

In case of ingestion: Do not induce vomiting, maintain the patient at rest. If problems persist, consult a doctor.

Soiled clothing: Withdraw soiled clothing and re-use them only after decontamination.

## 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

**Suitable extinguishing media:** Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid. Do not inhale the fumes.

Unsuitable extinguishing media: Never use a direct stream of water.

5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

#### Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

Auto-ignition temperature (°C): 310

5.3. Advice for firefighters

Never use a direct water jet.

#### Special protective equipment for fire-fighters:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus with full face mask operating in active pressure mode.

### 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame). Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

## 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

## For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

#### Other informations

Only qualified personnel is allowed to clean up.

## 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

#### **Protective measures:**

See section 2.2











#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

**Technical measures:** Close the container after use. In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage: Steel drum, stainless steel, plastic and / or aluminum containers

Storage areas and packaging

conditions:

Store in a cool, well-ventilated area. Keep container tightly closed in a

dry place.

Protection against the fire and the

explosion:

Keep away from natural or artificial heat and sources of ignition. Prevent the formation of an electrostatic charge in the immediate area

of influence.

#### 7.3. Specific end use(s)

Wash hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

Measures of technical order: Avoid contact with eyes, skin and closes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

**Monitoring procedures:** If the product contains ingredients with exposure limits, it may be necessary to carry out a follow-up examination of people, the workplace atmosphere or living organisms to determine the effectiveness of ventilation or other control measures or to assess the need for respiratory protective equipment. It is important to refer to the European standard EN 689 on methods for assessing inhalation exposure to chemical agents and to national



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

policy documents on methods for determining hazardous substances.

PNEC Fresh water: **0.1 mg/l** 

PNEC Fresh water sediment : 0.238 mg/kg
PNEC Marine water : 0.01 mg/l
PNEC Marine sediment : No data

PNEC Soil : **0.0253 mg/kg** 

VLEP Germany: Oxydipropanol - CAS 25265-71-8: 67 E mg/m3 (06-2008 - TRGS 900)

VLEP Swiss: Oxydipropanol - CAS 25265-71-8: (Inhalant aerosol) 200 mg/m3

(8h) / 400 mg/m3 (15mn)

DNEL - Inhalation : Workeurs - chronic effects - systemic 238 mg/m3

Consumeurs - chronic effects - systemic 70 mg/m3

DNEL - Skin contact : Workeurs - chronic effects - systemic 84 mg/kg

Consumeurs - chronic effects - systemic 51 mg/kg

DNEL - Ingestion : Consumeurs - chronic effects - systemic 24 mg/kg

8.2. Exposure controls

## Appropriate technical controls:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures :

### Personal protection equipment:

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

**Remark**: The waterproofness of the recommended gloves does not only depend on their material. Also other factors can have an influence on the waterproofness, such as their thickness or specific use or temperature conditions. In any case, material certificates should be selected. Ask your supplier whether the gloves are suitable for this purpose.

**Eyes protection**: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommended: lab coat (sarrau), general.



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

Type 3: Liquid impermeability Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot: Recommended: neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Other solubility: Ether, Toluene

Appearance : Liquid

Color : Colourless

Odour : Inodore

Density at 20°C : [1.020 ; 1.025]
Refractive index at 25°C : [1.438 ; 1.440]

Flash point (°C) (close cup): **138**Boiling point (°C): **233** 

Vapor pressure : 0.03 mmHg (25°C)

Melting point (°C): > - 40

Point de congélation (°C): - 60

Viscosity : **1.07 Poise**Acid Value : **[0 ; 0.1]**Purity (%) : >99.5

Peak #1 (%) : [(MPG) 0 ; 0.10] Peak #2 (%) : [(TPG) 0 ; 0.10]

Water (KF) %: [0; 0.10]

Partition coefficient n-octanol/water : -1.2
Acidity (%) : < 0.1

9.2. Other information

Solubility in alcohol (°):

Water solubility:

Yes

## 10. STABILITY AND REACTIVITY

10.1. Reactivity

Avoid powerful oxidising agents

10.2. Chemical stability



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

Stable under normal conditions.

Shelf life: 12 months, according to storage conditions

Stabilité: Stable at ambiant temperatures. Avoid the high temperatures and UV

exposures.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

Incompatibility with other materials: Oxidizing agents, reducing agents, strong acids, strong bases

10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

### 11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Phototoxicity: No known significant effects or critical hazards

Cancerogenicity: (rat - exposure105 weeks (5 days per week)) OECD 453 or similar:

NOAEL 233 mg/kg bw/day (experimental value)

Mutagenicity in vitro (OECD 471): (bactérie S. typhimurium): negative (experimental value)

Mutagenicity in vitro (OECD 476): mouse (Lymphoma cell L5178Y)): negative (experimental value)

Mutagenicity in vivo (OECD 476): (male mouse) negative (experimental value)

Reprotoxicity: Fertility: (mouse - exposure 140 days) OECD 416 or similar: NOAEL

10100 mg/kg => no effect

Development: (rabbit - exposure 9 days) OECD 414 or similar: NOAEL

1200 mg/kg bw/day => no effect

Specific toxicity - unique exposure : Oral : (rat - exposure 105 weeks - liver) OECD 453 or similar : NOAEL

470 mg/kg bw (experimental value)

LD50 oral (rat):

DECD 401 or similar >5000 mg/kg (experimental value)

DECD 402 or similar >5010 mg/kg (experimental value)

DECD 403 or similar (rat) 2.34 mg/l (experimental value)

Respiratory or Skin sensitization : Dermal : (guinea pig : 24h/48h/72h) OECD 406 or similar non

sensitizing;

(human) Patch test - non sensitizing



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

Respiratory: no date

Skin irritation: (rabbit - 24h/48h/72h) OECD 404: non irritating (experimental value)

(human) Patch test - non irritating

Serious eye damage/irritation: (rabbit - 24h/48h/72h) OECD 405: non irrittating (experimental

value)

#### 11.2. Information on other hazards

The product does not contain substances identified as having endocrine disrupting properties (human health) in concentrations equal to or greater than 0.1% (m/m).

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

LC50 Ecotoxicity: No data

EC50 Ecology: Easily biodegradable

CE50 (Aquatic fauna): Acute: (Daphnia Magna - fersh water, static - 48h) OECD 202 or

similar - EC50 >100 mg/l (experimental value)

Chronic: (Daphnia Sp. - fersh water - 16 days) ECOSAR or similar -

ChV 466 mg/l (QSAR)

CE50 (Aquatic flora): Toxic threshold: (Desmodesmus Subspicatus - fresh water - 72h)

EC50 >100 mg/l (experimental value); NOEC >100 mg/l

(experimental value)

12.2. Persistence and degradability

Biodegradability: OECD 301F or similar - manometric repirometry test - 28 days:

93.40% (experimental value)

OECD 306 or similar - sea water - 64 days : 23.6% (experimental

value)

12.3. Bioaccumulative potential

Bioaccumulation (LogPow): **OECD 107 or similar - 21.7°C : 0.462 (test data)** 

Log Koc: 0.78 (calculated value)

12.4. Mobility in soil

PNEC soil : 0.0253 mg/kg

#### 12.5. Results of PBT and vPvB assessment

**vPvB** : This substance is not considered to be very persistent or very bioaccumulative **PBT** : This substance is not considered to be persistent, bioaccumulating or toxic



Printed:

11/04/2023

DIPROPYLENGLYCOL

Revised : CLP V1-R-1-CLP from 11/04/2023

12.6. Endocrine disrupting properties

The product does not contain substances identified as having endocrine disrupting properties (environment) in concentrations equal to or greater than 0.1% (m/m).

12.7. Other adverse effects

Not concerned

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Product:** Recommendation: Does not have to be evacuated with the refuse. Do not let penetrate into drains/waste

water system.

Not cleaned packing: Recommendation: Evacuation in accordance with the regulations.

## 14. TRANSPORT INFORMATION

14.1. UN number or ID number

ADR/ADN/RID: NR

IMDG:NR IATA :NR

14.2. UN proper shipping name

ADR/ADN/RID: Not regulated for transport IMDG:Not regulated for transport IATA:Not regulated for transport

14.3. Transport hazard class(es)

ADR/ADN/RID: Not concerned IMDG:Not concerned IATA:Not concerned

14.4. Packing group

ADR/ADN/RID : Not concerned IMDG:Not concerned IATA :Not concerned

14.5. Environmental hazards

IMDG: Not concerned

14.6. Special precautions for user

Precautions of use : **Do not breathe vapors.** 

14.7. Maritime transport in bulk according to IMO instruments

(Except particular case)



Printed: 11/04/2023 DIPROPYLENGLYCOL Revised: CLP V1-R-1-CLP from 11/04/2023

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

GRV Solid substances Metal (11A, 11B, 21A, 21N) Plastic (11H1, 11H2, 21H1, 21H2)

## 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK: **1-ID3419** 

Custom tariff: 2909 49 80 90

15.2. Chemical safety assessment

Exposure assessment : -

## 16. OTHER INFORMATION

Material security data sheet according to 2020/878/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.