

Printed :

22/01/2024

Revised : MP V1-R-1-CLP from 22/01/2024

ISOEUGENYL ACETATE

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY 1.

1.1. Product identifier

Name of the substance/mixture Item code	: ISOEUGENYL ACETATE : AI-1
N° CAS TSCA N° CE N° index REACH An VI N° REACH (partially)	: 5912-87-8 : 202-236-1 : / : 01-2120223683-59-xxxx
IUPAC Name :	2-Methoxy-4-prop-1-enylphenyl Acetate; isoeugenyl acetate
Chemical / REACH name :	(E)-2-Methoxy-4-prop-1-en-1-ylphenyl acetate
Molecular formula :	C12 H14 O3
Molecular weight :	206.24

Molecular weight :

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use only

End use :

Fragrances / Cosmetic / Flavours

1.3. Details of the supplier of the safety data sheet

SAS PCW Aromagrasse - 45 bd Marcel Pagnol 06130 Grasse - FRANCE Tel: +33 (0)4 92 42 35 00 Fax : +33 (0)4 92 42 35 19 Web : www.pcwfrance.com Email : info@pcwfrance.com

Technical manager : regulatory@pcwfrance.com

1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16



Printed :

22/01/2024

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024

Anti poison Centers in France

ORFILA : +33(1) 45 42 59 59

2. SECTION 2 - HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

Skin Sens. 1 Sensitisation skin 1

H317 - May cause an allergic skin reaction.

2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Warning

Skin Sens. 1 Sensitisation skin 1

H317 - May cause an allergic skin reaction.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

2.3. Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

Contains	Isoeugenol
----------	------------

PBT :	This substance is not considered as persistent, neither bioaccumalable nor toxin
vPvB:	This substance is not considered as very persistent nor very



Printed :

Safety Data Sheet

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024

	bioaccumulative
VOC Swiss - Annex 1 :	Not listed
LVP-VOC / INORGANIC / EXEMPTED VOC (CARB) :	100%
CMR (Reg. 1223/2009/EEC) :	See certificate

22/01/2024

3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

3.1. Substances

Numéro d'identification	Substance	Classes danger & Phrases H	LCS / Facteurs M / ATE	Percent %
CAS# 97-54-1 EINECS# 202-590-7 REACH# /	Isoeugenol	Acute Tox. 4 (Dermal, Acute Tox. 4 (Inhala, Acute Tox. 4 (Oral), Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1A, Stot Se 3 H312, H332, H302, H319, H315, H317, H335	ATE (Dermale) : 1912mg/kg ATE (Orale) : 542mg/kg ATE (Inhalation) : 1.5mg/L	[0-1]
CAS# 108-88-3 EINECS# 203-625-9 REACH# N° INDEX : 601-021-00-3	Toluene résiduel (rep. 2)	Asp. Tox. 1, Flam. Liq. 2, Repr. 2, Skin Irrit. 2, Stot Re 2, Stot Se 3Ne H304, H225, H361, H315, H373, H336		[0-1]

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

3.2. Mixtures

Not concerned

4. SECTION 4 - FIRST AID MEASURES

4.1. Description of first aid measures

General notes : Please refer to the risk and safety statements (section 2)

Following inhalation : If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

Following ingestion : If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact : If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. If the symptom persists, consult a doctor.

Following eye contact : Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider : In lack of appropriate formation, none initiative should imply an individual risk.

4.2. Most important symptoms and effects, both acute and delayed



Printed : 22/01/2024

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024

See section 2

4.3. Indication of any immediate medical attention and special treatment needed

See section 2

5. SECTION 5 - FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

Unsuitable extinguishing media : Never use a direct stream of water.

5.2. Special hazards arising from the substance or mixture

Flammability : The product is not flammable.

Prevention : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Particular risks linked to exposure : see section 2

Hazardous combustion products :

Release of poison gases : Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN)

Auto-ignition temperature (°C) :

5.3. Advice for firefighters

Fire-fighting equipment : use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame). Avoid skin/eye contact. Do not inhal vapours.

For emergency responders



Printed : 22/01/2024

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

6.3. Methods and material for containment and cleaning up

For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

Other informations

Only qualified personnel is allowed to clean up.

6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

7. SECTION 7 - HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures: See section 2.2



Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

<u>Measures to prevent aerosol and dust generation:</u> Maintain adequate ventilation in the area.

Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

Advice on general occupational hygiene: Follow the general hygiene rules.



Printed : 22/01/2024

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

<u>Technical measures:</u> Close the container after use. In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :	Store at 25°C max. in tightly sealed original container. Avoid prolonged exposure to light, heat and air.
Storage areas and packaging conditions :	-
Protection against the fire and the explosion :	Non flammable

7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Measures of technical order : Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

Monitoring procedures : If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

PNEC Fresh water :	No data
PNEC Fresh water sediment :	No data
PNEC Marine water :	No data
PNEC Marine sediment :	No data
PNEC Soil:	No data
VLEP short term mg/m3 (98/24/CE) :	No data
VLEP (8h) mg/m3 (98/24/CE) :	No data
DNEL - Inhalation :	No data
DNEL - Skin contact :	No data

8.2. Exposure controls



Printed : 22/01/2024

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024

Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

Personal protection measures :

Personal protection :

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

Hand protection : Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

Remark: Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

Eyes protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommanded : Splash googles, safety glasses with side-shields.

Skin protection :Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommanded : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashs

Foot : Recommanded : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance :	Crystalline solid
Colour :	White
Odour :	Rose, carnation, spicy, sweet
Density at 20°C :	-
Refractive index @ 20°C :	-
Acid Value :	[0 ; 0.5 mgKOH/g]
Melting point (°C) :	-
Boiling point (°C) :	-



Safety Data Sheet 22/01/2024 Revised : MP V1-R-1-CLP from 22/01/2024 Printed : ISOEUGENYL ACETATE Flash point (°C) (close cup) : >93 Ignition temperature : _ Explosive properties : Purity (%): [99.0;100.0] Impurities >0.01% : 0.003000 mmHg @ 25°C (est) Vapor pressure : Partition coefficient n-octanol/water : LogPow 3.043 (est) 9.2. Other information Water solubility : No Solubility in alcohol (°) : Yes 10. SECTION 10 - STABILITY AND REACTIVITY

10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability

Stable under normal conditions.

Shelf life :

24 months, according to storage conditions

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

Not concerned

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

11. SECTION 11 - TOXICOLOGICAL INFORMATION



Safety Data Sheet 22/01/2024 Revised : MP V1-R-1-CLP from 22/01/2024 Printed : **ISOEUGENYL ACETATE** 11.1. Information on toxicological Phototoxicity : No data No data Genotoxicity in vivo : Genotoxicity in vitro : No data LD50 oral (rat) : No data No data LD50 Dermal (rabbit) : Respiratory or Skin sensitization : No data No data Skin irritation : Serious eye damage/irritation : No data Eyes irritation : No data 12. SECTION 12 - ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

LC50 Ec	otoxicity :	No data
EC50 Ec	cology:	No data
CE50 (A	quatic fauna) :	No data
CE50 (A	quatic flora) :	No data
No obse (NOAEL	ervable adverse effect level) :	No data
No obse	erved effect level (NOEL) :	No data
	12.2. Persistence and dec	gradability
Biodegra	adability :	No data
	12.3. Bioaccumulative pot	ential
Bioaccu	mulation (LogPow) :	3.043 (est)
	12.4. Mobility in soil	
PNEC s	ol : No data	
	12.5. Results of PBT and	vPvB assessment
vPvB PBT		s not considered as s not considered as

lered as very persistent nor very bioaccumulative lered as persistent, neither bioaccumalable nor toxin

12.6. Other adverse effects



Printed :

22/01/2024

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024

The product does not contain substances identified as having endocrine disrupting properties (environment) in concentrations equal to or greater than 0.1% (m/m).

No data

13. SECTION 13 - DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product : Does not have to be evacuated with the refuse. Not let it penetrate in the sewers. **Not cleaned packing :** Evacuation according to local reglementation.

14. SECTION 14 - TRANSPORT INFORMATION

14.1. UN number

ADR/ADN/RID : NR IMDG:NR IATA :NR

14.2. UN proper shipping name

ADR/ADN/RID : Not regulated for transport IMDG:Not regulated for transport IATA :Not regulated for transport

14.3. Transport hazard class(es)

ADR/ADN/RID : Not concerned IMDG:Not concerned IATA :Not concerned

14.4. Packing group

ADR/ADN/RID : Not concerned IMDG:Not concerned IATA :Not concerned

14.5. Environmental hazards

IMDG : Not concerned

14.6. Special precautions for user

Avoid any direct contact with the product.

Precautions of use :

Avoid any direct contact with the product.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances



Printed : 22/01/2024

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024

Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

<u>GRV Solid substances</u> Metal (11A, 11B, 21A, 21N) Plastic (11H1, 11H2, 21H1, 21H2)

15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK :	2-ID3506
Custom tariff :	2915 39 00 90

15.2. Chemical safety assessment

Exposure assessment :

16. SECTION 16 - OTHER INFORMATIONS

-

Full H sentenses text in point 3 :

Highly flammable liguid and vapour
Harmful if swallowed.
Harmful if swallowed or in contact with skin
Harmful if swallowed, in contact with skin or if inhaled
Harmful if swallowed or if inhaled
May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.
Kann Schläfrigkeit und Benommenheit verursachen.
Suspected of damaging fertility or the unborn child <state effect="" if="" known="" specific=""> <state rout<="" td=""></state></state>
onclusively proven that no other routes of exposure cause the hazard>.
May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or</or>
state route of exposure if it is conclusively proven that no other routes of
hazard>.
es and sources for data
Information from supplier ECHA
FUERA



Printed : 22/01/2024

ISOEUGENYL ACETATE

Revised : MP V1-R-1-CLP from 22/01/2024