

Printed :

Revised : CLP V1-R-1-CLP from 05/02/2025

# **ISO MYRCETONE GAMMA**

# 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

1.1. Product identifier

05/02/2025

#### ISO MYRCETONE GAMMA

N° CAS	: 54464-57-2
N° CE	: 268-979-9
N° index REACH An VI	:/
N° REACH (partially)	: 01-2119489989-04-xxxx

IUPAC Name :

Chemical / REACH name :

1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-acetonaphthalenone 7-Acetyl, 1,2,3,4,5,6,7,8-Octahydro, 1,1,6,7-tetra Methyl Naphthalene

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use only

End use :

# Fragrances / Cosmetic

1.3. Details of the supplier of the safety data sheet

Company : PCW 45 Boulevard Marcel PAGNOL Parc Aromagrasse 06130 GRASSE - FRANCE Tel:+33 (0)4 92 42 35 00 Fax :+33 (0)4 92 42 35 19 Web :www.pcwfrance.com Email :info@pcwfrance.com

Technical manager : regulatory@pcwfrance.com

## 1.4. Emergency telephone number

#### Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

#### National emergency information service

INERIS: +33(8) 20 20 18 16

#### Anti poison Centers in France

ORFILA : +33(1) 45 42 59 59



Printed :

05/02/2025

ISO MYRCETONE GAMMA

Revised : CLP V1-R-1-CLP from 05/02/2025

# 2. HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

Aquatic Chronic 2Hazardous to the aquatic environment, long-trem hazard 2Skin Irrit. 2Skin corrosion / irritation 2Skin Sens. 1Sensitisation skin 1

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Warning

Aquatic Chronic 2 Hazardous to the aquatic environment, long-trem hazard 2Skin Irrit. 2Skin corrosion / irritation 2Skin Sens. 1Sensitisation skin 1

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

#### 2.3. Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

#### Contains Tetramethyl acetyloctahydronaphthalenes (OTNE)

PBT:

This substance is not considered as persistent, neither bioaccumalable



# Safety Data Sheet Printed : 05/02/2025 ISO MYRCETONE GAMMA Revised : CLP V1-R-1-CLP from 05/02/2025 vPvB : nor toxic vPvB : This substance is not considered as very persistent nor very bioaccumulative VOC Swiss - Annex 1 : Not listed LVP-VOC / INORGANIC / EXEMPTED 100%

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

List of reportable components:

#### 3.1. Substances

Numéro d'identification	Substance	Classes danger & Phrases H	LCS / Facteurs M / ATE	Percent %
CAS# 54464-57-2 EINECS# 259-174-3 REACH# N° REACH 01-2119489989-04-xx xx	Tetramethyl acetyloctahydronaphthalenes (OTNE)	Aquatic Chronic 1, Skin Irrit. 2, Skin Sens. 1B H410, H315, H317		> 50 %

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

#### 3.2. Mixtures

Not concerned

#### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

**Following inhalation:** If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

**Following skin contact:** If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

#### 4.2. Most important symptoms and effects, both acute and delayed

See section 2



Printed : 05/02/2025

ISO MYRCETONE GAMMA

Revised : CLP V1-R-1-CLP from 05/02/2025

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Contact with skin:** Wash immediately and abundantly with water and soap. Rinse then with clear water. **Contact with eyes:** Abundant rinsing with water (15 minutes open eyelids) then washing with an occular lotion standard Dacryoserum. In case of disorder, consult an ophtalmologist. **In case of ingestion:** Do not induce vomiting, maintain the patient at rest. If problems persist, consult a doctor. **Soiled clothing:** Withdraw soiled clothing and re-use them only after decontamination.

## 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

**Suitable extinguishing media:** Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid. Do not inhale the fumes.

Unsuitable extinguishing media: Never use a direct stream of water.

#### 5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable. Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

#### Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

Auto-ignition temperature (°C) : 260 °C @760 mmHg

5.3. Advice for firefighters

#### Never use a direct water jet.

#### Special protective equipment for fire-fighters:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus with full face mask operating in active pressure mode.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame). Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.



Printed :

ISO MYRCETONE GAMMA

Revised : CLP V1-R-1-CLP from 05/02/2025

#### 6.2. Environmental precautions

05/02/2025

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

#### Other informations

Only qualified personnel is allowed to clean up.

#### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

## 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

#### Protective measures:

See section 2.2



#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

**Technical measures:** Close the container after use. In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.



Printed :

# Safety Data Sheet

ISO MYRCETONE GAMMA

Revised : CLP V1-R-1-CLP from 05/02/2025

05/02/2025 Respect the general rules of incompatibility.

Storage :	Store at 45°C max. in tightly sealed original container. Avoid prolonged exposure to light, heat and air.
Storage areas and packaging conditions :	Close carefully any already opened recipient and store it vertically to avoid any flow
Protection against the fire and the explosion :	Non flammable

#### 7.3. Specific end use(s)

Wash hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

Measures of technical order: Avoid contact with eyes, skin and closes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

Monitoring procedures: If the product contains ingredients with exposure limits, it may be necessary to carry out a follow-up examination of people, the workplace atmosphere or living organisms to determine the effectiveness of ventilation or other control measures or to assess the need for respiratory protective equipment. It is important to refer to the European standard EN 689 on methods for assessing inhalation exposure to chemical agents and to national policy documents on methods for determining hazardous substances.

PNEC Fresh water :	No data
PNEC Fresh water sediment :	No data
PNEC Marine water :	No data
PNEC Marine sediment :	No data
PNEC Soil:	No data
VLEP short term mg/m3 (98/24/CE) :	No data
VLEP (8h) mg/m3 (98/24/CE) :	No data
DNEL - Inhalation :	No data
DNEL - Skin contact :	No data

8.2. Exposure controls

#### Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures :

#### Personal protection equipment :

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.



Printed : 05/02/2025

ISO

ISO MYRCETONE GAMMA

Revised : CLP V1-R-1-CLP from 05/02/2025

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

**Hand protection** : Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

**Remark** : The waterproofness of the recommended gloves does not only depend on their material. Also other factors can have an influence on the waterproofness, such as their thickness or specific use or temperature conditions. In any case, material certificates should be selected. Ask your supplier whether the gloves are suitable for this purpose.

**Eyes protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended : Splash googles, safety glasses with side-shields.

**Skin protection** :Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommended : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashs

Foot : Recommended : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance :	Liquid
Colour :	Colorless to clear yellow
Odour :	Woody, floral, ambergris
Relative density @ 25°C :	[0.958 ; 0.968]
Indice de réfraction à 25°C :	[1.495 ; 1.500]
Melting point (°C) :	-20
Boiling point (°C) :	290.4
Flash point (°C) (close cup) :	134
Ignition temperature :	-
Explosive properties :	-
Purity (%) :	[90.0 ; 100.0]
Vapor pressure :	0.001000 mm/Hg @ 25.00 °C. (litt.)
Partition coefficient n-octanol/water :	LogPow : 5.65



Printed :	05/02/2025	ISO MYRCETONE GAMMA	Revised : CLP V1-R-1-CLP from 05/02/2025	
Peak #1 (%)	:	[Ketone A : 3.0 ; 5.0]		
Peak #2 (%)	:	[Ketone B (beta isomer) : 30.	[Ketone B (beta isomer) : 30.0 ; 50.0]	
Peak #3 (%)	:	[Ketone D (alpha isomer) : 15	[Ketone D (alpha isomer) : 15.0 ; 26.0]	
Peak #4 (%) :	:	[Ketone H (gamma isomer) : :	[Ketone H (gamma isomer) : 10.0 ; 20.0]	
Viscosity :		32.61 mPas @ 20°C	32.61 mPas @ 20°C	
Refractive inde	ex @ 20°C :	[1.497 ; 1.502]		
Densité à 20/4	₽°C :	[0.959 ; 0.969]		
Density 20/20	°C :	[0.961 ; 0.971]		
9.2.	Other information			
Water solubilit	ry :	No		
Solubility in al	cohol (°) :	Yes		
10. STABIL	ITY AND REAC	TIVITY		

10.1. Reactivity

Avoid powerful oxidising agents

10.2. Chemical stability

Stable under normal conditions.

Shelf life :

#### 24 months, according to storage conditions

#### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

#### Incompatibility with other materials: -

Incompatibility with other substances -

:

10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.



Printed : 05

05/02/2025

ISO MYRCETONE GAMMA

Revised : CLP V1-R-1-CLP from 05/02/2025

## **11. TOXICOLOGICAL INFORMATION**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Informations Acute :

- · Orale
- No defined
- Inhalation
- No defined
- · Skin
- No defined

further information:

Aucun composant

No data
No data
No data
> 5000 mg/kg
> 5000 mg/kg
Sensitizing
Skin irritation
No data
No eye irritation

## 11.2. Information on other hazards

The product does not contain substances identified as having endocrine disrupting properties (human health) in concentrations equal to or greater than 0.1% (m/m).

# 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

CE50 (Aquatic fauna) :	1300 mg / l, 96h, OECD 2003 (fish)
CE50 (Aquatic flora) :	> 2600 mg / l, 24h, OECD 201 (algae)
CE50 Acute Toxicity Daphnia (OECD 202) :	1380 mg/l, 48h, OECD 202 (daphnia)
No observable adverse effect level	No data



Safety Data Sheet			
Printed :	05/02/2025	ISO MYRCETONE GAMMA	Revised : CLP V1-R-1-CLP from 05/02/2025
(NOAEL) :			
No observed	d effect level (NOEL) :	150 mg / kg (oral rat - 1x / da (28d) toxicity (oral)	y - OECD 407) - Remark: repeated dose
12.2. Persistence and degradability			
Biodegradability : No data			
12.3. Bioaccumulative potential			
Bioaccumulation (LogPow) : 5.65			
12	.4. Mobility in soil		
PNEC soil	: No data		
12.5. Results of PBT and vPvB assessment			
vPvB: This substance is not considered as very persistent nor very bioaccumulativePBT: This substance is not considered as persistent, neither bioaccumalable nor toxic			
12	.6. Endocrine disrupti	ng properties	

The product does not contain substances identified as having endocrine disrupting properties (environment) in concentrations equal to or greater than 0.1% (m/m).

12.7. Other adverse effects

Not concerned

13. DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

**Product:** Recommendation: Does not have to be evacuated with the refuse. Do not let penetrate into drains/waste water system.

Not cleaned packing: Recommendation: Evacuation in accordance with the regulations.


# 14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:





ADR/ADN/RID : 3082 ( Tunnel code - ) IMDG:3082

IATA :3082

14.2. UN proper shipping name

ADR/ADN/RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Tetramethyl acetyl octahydronaphthalenes) IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Tetramethyl acetyl octahydronaphthalenes) IATA :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Tetramethyl acetyl octahydronaphthalenes)

14.3. Transport hazard class(es)

ADR/ADN/RID : 9 IMDG:9 IATA :9

14.4. Packing group

ADR/ADN/RID : III IMDG:III IATA :III

14.5. Environmental hazards

IMDG : Not concerned

14.6. Special precautions for user

Precautions of use :

Avoid any direct contact with the product.

14.7. Maritime transport in bulk according to IMO instruments

(Except particular case)

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

<u>GRV Solid substances</u> Metal (11A, 11B, 21A, 21N) Plastic (11H1, 11H2, 21H1, 21H2)



Printed :

05/02/2025

ISO MYRCETONE GAMMA

Revised : CLP V1-R-1-CLP from 05/02/2025

# **15. REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK : 2 - ID 3471 Custom tariff :

2914 29 50 00

## 15.2. Chemical safety assessment

Not concerned

**16. OTHER INFORMATION** 

Full H sentenses text in point 3

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

#### H410 Very toxic to aquatic life with long lasting effects.

Material security data sheet according to 2020/878/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points : 2.1 2.2 2.3 3.1 7.2 9.1 10.5 11.1 12.1 12.5 14.1 14.5 15.1 15.2 16