



Safety Data Sheet

Printed : 13/03/2023

Revised : CLP V1-R-1-CLP from 13/03/2023

GAMMA UNDECALACTONE = ALDEHYDE C14

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

1.1. Product identifier

GAMMA UNDECALACTONE = ALDEHYDE C14

Item code : AC14-1

N° CAS : 104-67-6

N° CE : 203-225-4

N° index REACH An VI : /

N° REACH (partially) : 01-2119959333-34-xxxx

IUPAC Name : **Undecan-4-olide**

Chemical / REACH name : **gamma-Undecalactone**

Molecular formula : **C11 H20 O2**

Molecular weight : **184.28**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use only

End use : **Fragrances / Cosmetic / Flavours**

1.3. Details of the supplier of the safety data sheet

Company : PCW
45 Boulevard Marcel PAGNOL
Parc Aromagrasse
06130 GRASSE - FRANCE
Tel: +33 (0)4 92 42 35 00
Fax : +33 (0)4 92 42 35 19
Web : www.pcwfrance.com
Email : info@pcwfrance.com

Technical manager : regulatory@pcwfrance.com

1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS : +33(8) 20 20 18 16

Anti poison Centers in France

Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023
ORFILA : +33(1) 45 42 59 59

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

Eye Irrit. 2	Serious eye damage / eye irritation 2
Aquatic Chronic 3	Hazardous to the aquatic environment, long-term hazard 3
Skin Irrit. 2	Skin corrosion / irritation 2
STOT SE 3	Toxicité organes cibles - expo unique 3RI

H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.
H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Warning

Eye Irrit. 2	Serious eye damage / eye irritation 2
Aquatic Chronic 3	Hazardous to the aquatic environment, long-term hazard 3
Skin Irrit. 2	Skin corrosion / irritation 2
STOT SE 3	Toxicité organes cibles - expo unique 3RI

H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.
H412 - Harmful to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.



Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

2.3. Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

Contains gamma-Undecalactone

vPvB : **No data**

PBT : **No data**

VOC Swiss - Annex 1 : **Not listed**

LVP-VOC / INORGANIC / EXEMPTED **100 %**

VOC (CARB) :

CMR (Reg. 1223/2009/EEC) : **See certificate**

3. COMPOSITION / INFORMATION ON INGREDIENTS

Liste des composants à signaler :

3.1. Substances

Numéro d'identification	Substance	Classes danger & Phrases H	LCS / Facteurs M / ATE	Percent %
CAS# 104-67-6 EINECS# 203-225-4 REACH# N° REACH : 01-2119959333-34-xx xx	gamma-Undecalactone	Eye Irrit. 2, Aquatic Chronic 3, Skin Irrit. 2, STOT SE 3 H319, H412, H315, H335		> 50 %

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

Chimic Class : **Lactone**

3.2. Mixtures

NO CONCERNED

4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

Following inhalation: If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

Following ingestion: If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT

Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

Following eye contact: Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

4.2. Most important symptoms and effects, both acute and delayed

See section 2

4.3. Indication of any immediate medical attention and special treatment needed

Contact with skin: Wash immediately and abundantly with water and soap. Rinse then with clear water.

Contact with eyes: Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum. In case of disorder, consult an ophtalmologist.

In case of ingestion: Do not induce vomiting, maintain the patient at rest. If problems persist, consult a doctor.

Soiled clothing: Withdraw soiled clothing and re-use them only after decontamination.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO₂, powder, foam, specific liquid. Do not inhale the fumes.

Unsuitable extinguishing media: Never use a direct stream of water.

5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO₂), Oxyde d'azotes (NO_x), Dioxyde de soufre (SO₂), Cyanures (CN)

Auto-ignition temperature (°C) : > 256

5.3. Advice for firefighters

Never use a direct water jet.

Special protective equipment for fire-fighters:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus with full face mask operating in active pressure mode.

Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhale vapours.

For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.

Inform the competent authorities if the product enters in ground or surface waters.

6.3. Methods and material for containment and cleaning up

For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

For cleaning up

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local regulation.

Other informations

Only qualified personnel is allowed to clean up.

6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures:

See section 2.2



Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

Advice on general occupational hygiene:

Follow the general hygiene rules.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

Technical measures: Close the container after use.
In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :	Store at 25°C max. in tightly sealed original container. Avoid prolonged exposure to light, heat and air.
Storage areas and packaging conditions :	Close carefully any already opened recipient and store it vertically to avoid any flow
Protection against the fire and the explosion :	Non-flammable

7.3. Specific end use(s)

Wash hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Measures of technical order: Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

Monitoring procedures: If the product contains ingredients with exposure limits, it may be necessary to carry out a follow-up examination of people, the workplace atmosphere or living organisms to determine the effectiveness of ventilation or other control measures or to assess the need for respiratory protective equipment. It is important to refer to the European standard EN 689 on methods for assessing inhalation exposure to chemical agents and to national policy documents on methods for determining hazardous substances.

PNEC Fresh water :	5.85 µg/L
PNEC Fresh water sediment :	0.628 mg/kg sediment dw
PNEC Marine water :	0.585 µg/L
PNEC Marine sediment :	0.063 mg/kg sediment dw
PNEC Soil :	0.122 mg/kg soil dw
VLEP short term mg/m ³ (98/24/CE) :	No data

Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

VLEP (8h) mg/m ³ (98/24/CE) :	No data
DNEL - Inhalation :	For the worker 19 mg/m³ For the general population 24.68 mg/m³
DNEL - Skin contact :	For the worker 5.38 mg/kg bw/day For the general population 2.7 mg/kg bw/day
DNEL - Ingestion :	For the general population 2.7 mg/kg bw/day

8.2. Exposure controls

Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

Personal protection measures :

Personal protection equipment :

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

Hand protection : Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

Remark : The waterproofness of the recommended gloves does not only depend on their material. Also other factors can have an influence on the waterproofness, such as their thickness or specific use or temperature conditions. In any case, material certificates should be selected. Ask your supplier whether the gloves are suitable for this purpose.

Eyes protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommended : Splash goggles, safety glasses with side-shields.

Skin protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommended : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommended : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance : **Liquid**

Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

Color :	Colorless to clear yellow
Odour :	Peach like, Fruity
Relative density @ 25°C :	[0.941 ; 0.944]
Refractive index @ 20°C :	[1.448 ; 1.453]
Acid Value :	[0 ; 2.0 mgKOH/g]
Viscosity :	<10 mPa.s @ 20°C
Melting point (°C) :	-9.5 @ 101.3 kPa
Flash point (°C) (close cup) :	110
Boiling point (°C) :	297
Ignition temperature :	No data
Explosive properties :	No data
pH-value :	7
Vapor pressure :	0.27 Pa @ 25°C 0.002 mmHg @20°C
Purity (%) :	[98.0 ; 100.0]
Impurities >0.01% :	hydroxy undecanoic acid and former body 0.66% propenoic acid or Acrylic acid methyl ester polymers 0.34% octanoic acid and ester 0.01%
Partition coefficient n-octanol/water :	LogPow 3.6 @ 25 °C

9.2. Other information

Water solubility :	No
Solubility in alcohol (°) :	Yes

10. STABILITY AND REACTIVITY

10.1. Reactivity

Avoid powerful oxidising agents

10.2. Chemical stability

Stable under normal conditions.

Shelf life : **24 months, according to storage conditions**

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

10.5. Incompatible materials

Incompatibility with other materials: No data

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Dangerous decomposition products: No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Phototoxicity :	No data
Genotoxicity in vivo :	No data
Genotoxicity in vitro :	No data
LD50 oral (rat) :	> 2 000 mg/kg
LD50 Dermal (rabbit) :	> 2 000 mg/kg
Skin irritation :	Not irritating in an acute dermal toxicity study (OECD 402, GLP, rel.1) and in humans
Respiratory or Skin sensitization :	Skin sensitization: not sensitizing. Respiratory sensitization: No data available
Eyes irritation :	No data
Serious eye damage/irritation :	Not irritating (OECD 405, GLP, K, rel.1)

11.2. Information on other hazards

The product does not contain substances identified as having endocrine disrupting properties (human health) in concentrations equal to or greater than 0.1% (m/m).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

LC50 Ecotoxicity :	No data
EC50 Ecology :	No data
CE50 (Aquatic fauna) :	No data
CE50 (Aquatic flora) :	No data
No observable adverse effect level (NOAEL) :	1 000 mg/kg bw/d (oral; subacute; rat) (OECD 407, GLP, K, rel. 2)



Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

No observed effect level (NOEL) : **No data**

12.2. Persistence and degradability

Biodegradability : **No data**

12.3. Bioaccumulative potential

Bioaccumulation (LogPow) : **3.6 @ 25 °C**

12.4. Mobility in soil

PNEC soil : 0.122 mg/kg soil dw

12.5. Results of PBT and vPvB assessment

vPvB : No data
PBT : No data

12.6. Endocrine disrupting properties

The product does not contain substances identified as having endocrine disrupting properties (environment) in concentrations equal to or greater than 0.1% (m/m).

12.7. Other adverse effects

NO CONCERNED

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product: Recommendation: Does not have to be evacuated with the refuse. Do not let penetrate into drains/waste water system.

Not cleaned packing: Recommendation: Evacuation in accordance with the regulations.

14. TRANSPORT INFORMATION

14.1. UN number or ID number

ADR/ADN/RID : NR
IMDG:NR
IATA :NR

14.2. UN proper shipping name

ADR/ADN/RID : Not regulated for transport
IMDG:Not regulated for transport
IATA :Not regulated for transport

14.3. Transport hazard class(es)



Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023

ADR/ADN/RID : NO CONCERNED
IMDG:NO CONCERNED
IATA :NO CONCERNED

14.4. Packing group

ADR/ADN/RID : NO CONCERNED
IMDG:NO CONCERNED
IATA :NO CONCERNED

14.5. Environmental hazards

IMDG : NO CONCERNED

14.6. Special precautions for user

Precautions of use : **Avoid any direct contact with the product.**

14.7. Maritime transport in bulk according to IMO instruments

(Except particular case)

IBC Liquid substances
Metal (31A, 31B, 31N)
Plastic (31H1, 31H2)

GRV Solid substances
Metal (11A, 11B, 21A, 21N)
Plastic (11H1, 11H2, 21H1, 21H2)

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK : **1 - ID 2857**
Monographie (s) du RIFM n° : **No**
Custom tariff : **2932 20 90 90**

15.2. Chemical safety assessment

Exposure assessment : **Not available**

16. OTHER INFORMATION

Full H sentences text in point 3 :

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Material security data sheet according to 2020/878/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Safety Data Sheet

Printed : 13/03/2023 GAMMA UNDECALACTONE = ALDEHYDE C14 Revised : CLP V1-R-1-CLP from 13/03/2023